INNLED

Revealing senses

Summary

INNLED

About

Light is this sacred but elusive matter. Present everywhere, its wild nature is difficult to tame.

With over 10 years of designing products, INNLED offers a French alternative for those looking for lighting products for the event industry.
INNLED's mission is to simplify the lives of these professionals by including them in the design process and jointly developing products that meet real field needs.

In 2024, the catalog offers a range of essentially cable-free and battery-powered products, offering high-performance and innovative solutions in line with the expectations and trends of various sectors : events, hospitality, museography but also retail.

In just a few years INNLED has become a reference on these markets withover 8,000 products sold in France and Europe.

INNLED

Our philosophy

At INNLED we define good design
by the absence of the unnecessary.
We make simple, efficient
and responsible products.

The essence of emotion

#consciouscreatives #madeinfrance

Our values

At INNLED we strongly believe in shared experiences and co-construction. This is also how we design our products, by bringing together all the players of our ecosystem.

Our products are part of a sustainable and low-tech design approach, where the presence of the slightest component is questioned, where the notion of obsolescence has been banished and where the consideration of the carbon footprint dictates certain design choices.

Made in France - Made with love - Made for you

T3

T4 *2024 Édition*

INNLED

Fast installation

Fixed installation

From 0 to 2000 Lm

T3

The T3 mast is the first in the range to be **on mains**.

It is designed to respond as closely as possible to your **interior designing or integration projects**, in sectors as varied as museography, hospitality, retail, or even the equipment of event venues or video-conference rooms.

Choose from **several options** to create a mast that includes the **essential features** to your business or venue; all with surprising ease of use.

Product data

LED POWER
• *13.5W (3x4.5W)*

BRIGHTNESS
• *Up to 1000 lm*
• *Boost: up to 2000 lm*

COLOR TEMPERATURES
• *3000K (warm white)*
• *or 4000K (neutral white)*
• *CCT (optional)*
• *or CCT Hi-CRI (optional)*

AUTONOMY / BATTERY OPTION
• *6.5 hours at full capacity*

REMOTE CONTROLLING
• *Manual*
• *Remotely with LAKO remote control or DMX transmitter (optional)*

WEIGHT AND DIMENSIONS
• *Arched design only*
• *2.10m*
• *6 kg*

COLOR
• *Black RAL 9005*
• *Fine texture*

ADDITIONAL OPTIONS
• *CCT or CCT Hi-CRI spotlights*
• *Removable external 50Wh battery*
• *Battery kit (x6)*
• *Remote control*
• *Carrying case*

If you are a professional,
Scan this QR code to request a quote

INNLED

T3
Interior design project suggestion

T3
Interior design project suggestion

INNLED

110h
of autonomy

Fast installation

Remote controllable

T4

The T4 lighting mast is designed to highlight your most beautiful **events**, whether indoors or outdoors.

Fully autonomous, its integrated Lithium-ion battery offers up to **110 hours of autonomy** (variable depending on the intensity) and frees you from installation problems linked to cables.

Its different extensions tubes allow you to **vary the height** depending on the type of location or event*****, and its **DMX-RF system** integrated into the mast, promises you smooth use and the possibility of remotely controlling both the brightness and the color temperature.

Product data

LED POWER
• 18W (4 x 4.5W)

BRIGHTNESS
• Up to 2,000 lumens

COLOR TEMPERATURES
• CCT
• CCT Hi-CRI >90
• Or 3000K (warm white)
• Or 4000K (neutral white)
• Or RGB

AUTONOMY
• From 6 to 110h depending on dimmer

REMOTE CONTROLLING
• Manual
• Remotely with LAKO remote control or DMX transmitter

WEIGHT AND DIMENSIONS
• Straight design : 2.36m
• Arched design : 2.30m

COLORS
• Anthracite Grey (2100ST)
• White fine texture (9003)

If you are a professional,
Scan this QR code to request a quote

*Détails on the next page

16

17

INNLED

T4 *+ extensions*

The T4 includes additional extension tubes, available as an option.
Depending on how you assemble the extension tubes (20 cm and 50 cm) the T4 offers four possible heights.

A design designed for an infinite number of uses.

Product data

LED POWER
• 18W (4 x 4.5W)

BRIGHTNESS
• Up to 2,000 lumens

COLOR TEMPERATURES
• CCT
• CCT Hi-CRI >90
• Or 3000K (warm white)
• Or 4000K (neutral white)
• Or RGB

AUTONOMY
• From 6 to 110h depending on dimmer

HEIGHTS
> Straight / Arched
• 1m60 / 1m66
• 2m15 / 2m21
• 2m30 / 2m36
• 2m80 / 2m86

WEIGHT
• Variable depending on configuration

COLORS
• Anthracite Grey (2100ST)
• White fine texture (9003)

**If you are a professional,**
Scan this QR code to request a quote

1m60   2m15   2m30   2m80

T4
Vehicle launch

T4
Buffet lighting

T4
Lighting of alleys and gardens

T4
Retail podium lighting

INNLED

20

21

HARIZ

K2

K3

INNLED

12h
of autonomy

Customizable

Remote controllable

Hariz

Hariz is available as a centerpiece, communication support or signage by taking place on your tables, buffets and reception desks.
Hariz is connected !
Play with colors and effects according to your imagination. Choose between 8 standard profiles and an infinitely customizable design.

Product data

COLOR TEMPERATURE
• *White 3200K + RGB*

BASIC DIMENSIONS
• *L 226 x W 70 x H 27 mm*

PMMA DIMENSIONS
• *Max 300 x 300 mm*
x thickness 8 mm

WEIGHT
• *1.7 kg*

MATERIALS
• *Transparent PMMA profile*
• *Steel base*
• *PMMA base cover*

BASE FINISH
• *Black RAL 9005*
• *Or white RAL 9010*

If you are a professional,
Scan this QR code to request a quote

Standard profile

Standard profile

Tailor-made customer project

INNLED

Gala evening

Buffet application

Standard profile

©Familystudio

INNLED

26

27

K2

The K2 and its two LED spotlights is a **compact and autonomous lighting fixture**.

Designed to offer you maximum versatility, K2 is equipped with a **neodymium magnet** that can be fixed to or suspended from many surfaces and structures.

The **accessory kit**, consisting of a counterplate, two Velcro® straps and two metallic slings, allows the product to be integrated into spaces that are sometimes difficult to access.

Product data

LED POWER
• 9W (2x4.5W)

BRIGHTNESS
• Up to 600 lumens

COLOR TEMPERATURE
• 4000K (neutral white)
• or 3000K (warm white)

AUTONOMY
• 6h at full

CONTROLLING
• Manual only

DIMENSIONS
• L295 x L50 x H80mm

WEIGHT
• 525g

COLORS
• White - RAL 9003

If you are a professional,
Scan this QR code to request a quote

28

K3

The K3 and its three LED spotlights, is a compact and autonomous auxiliary lighting fixture.

Designed to offer you maximum versatility, the K3 is equipped with a **neodymium magnet** and can be easily fixed oor suspended from many surfaces and structures. Its **accessory kit** allows you to explore or illuminate spaces or corners thta can be difficult to access.
K3 is **controlled remotely (DMX RF)** and the three **Cree XPG3 LEDs per spot** are available in **RGB or CCT Tunable White.**

Product data

LED POWER
• 13.5W (3x4.5W)

BRIGHTNESS
• Up to 1000 lm
• Boost : up to 2000 lm

COLOR TEMPERATURE
• CCT Tunable white
• Or RGB
• Or 3000K (warm white)
• Or 4000K (neutral white)

AUTONOMY
• 6.5 hours at full capacity

CONTROLLING
• Manual dimmer (25%, 50%, 100%) + Boost
• Remote controllable : RF (Lako remote control or RF transmitter)

DIMENSIONS & WEIGHT
• l410 x L50 x H80mm
• 715g

COLORS
• White - RAL 9003
• Anthracite grey (2100ST)

6,5h
of autonomy at full

Fast installation

Remote controllable

If you are a professional,
Scan this QR code to request a quote

INNLED

LAKO

RF DMX TRANSMITTER

Lako RF remote

The LAKO is a **remote control with an integrated RF** transmitter which allows you to control one or more products remotely.

Address your products in **4 distinct groups** and control them together or separately, and manage the light simply, from one space to another.
Its interface offers a **simplified navigation** between several features :
- an "Assignment" page
- a group, color, intensity control page.
IDs allow the use of multiple LAKOs in the same environment.

Product data

DMX RF
- *Integrated transmitter*
- *2.4GHz band*

ADDRESSING
- *4 fixed groups : DMX 001, 009, 017, 025*
- *4 ID (=universes)*

AUTONOMY AND CHARGE
- *Up to 8 hours of autonomy*
- *1 hour charging time*

MATERIALS
- *PA 12 housing*

DIMENSIONS & WEIGHT
- *125 x 54 x 18 mm*
- *235g*

RANGE COMPATIBILITY
- *T4 & T3*
- *K3*

GROUP SETTINGS

A   B
C   D

1-Select the group
2-Power on devices

If you are a professional,
Scan this QR code to request a quote

On mains

PRO

Professional
applications

DMX

DMX input

RF Transmitter

The DMX transmitter is used to remotely control products in the INNLED range that include the option. Easily connect the transmitter to a **light console** for **professional applications**.

It includes a **DMX input**, located on the back of the transmitter on a male **XLR 5-pin connector** (DMX IN).
Each RF receiver is "assigned" to an original ID (or universe). Upon start-up, the receiver (= the product) scans the frequencies and connects to the ID to which it is assigned.

Simple and easy to use !

Product data

RF DMX
• *Integrated transmitter*
• *2.4GHz band*

ADDRESSING
• *512 adresses*
• *32 ID (=universes)*

POWER SUPPLY
• *On mains*

MATERIALS
• *Aluminium casing*

DIMENSIONS & WEIGHT
• *109 x 84 x 45 mm*
• *338g*

RANGE COMPATIBILITY
• *T4 & T3*
• *K3*
• *Hariz*

Vous êtes un professionnel ?
Demandez-nous un devis
en scannant ce QR code

Ekocase x4

Procase x8

T3 / T4

K2 / K3

T3 and T4 cases

This case has been designed to meet the different configurations of T3 and T4 lighting masts.
Up to **3 lighting masts** can be stored in this case ; the choice of these cases was made to meet **sustainable requirements**.

It includes the needed chargers or power supplies, and a **Powercon cable** allows the products to be stored and charged directly in the case. The suitcases are equipped with wheels, making it easy to move around.

A stack on wheels is also available in the range, allowing up to 4 suitcases to be stacked and moved around like a flightcase.

Product data

CASE

DIMENSIONS
• L1177 x W440 x H158mm

WEIGHT
• 8,5 kg

MATERIALS
• Fasteners : Nylon
• Axes : Nylon + fiberglass
• Body : Polypropylene copolymer

STACK

DIMENSIONS
• L1180 x W440 x H145mm

WEIGHT
• 11,2 kg

MATERIALS
• Plywood
• Velcro® straps
• 4 wheels

4 cases stacked (12 products)

Stack

T3 / T4 case

If you are a professional,
Scan this QR code to request a quote

Eco packaging

Store and charge
(PROcase only)

Dimensions Calibrated
for Eurocalet

K2 and K3 cases

Two packaging options are available in the range to store and/or charge your K2 and K3 products.

PROcase (x8)
Up to 8 K2s or K3s can be stored in the case, which also includes 8 chargers and a Powercon cable for charging products directly in the case.

EKOcase (x4)
The ecocase is a small and minimalistic case which allows you transport up to 4 K2 or K3 products. No integrated chargers are included but spacing to add them, as well as LAKO remotes, are available.

Product data

PROCASE (X8)

PRODUCTS
• 8 fittings for K2 or K3

DIMENSIONS AND WEIGHT
• L850 X W440 X H158 mm
• 5,6 kg

MATERIALS
• Fasteners : Nylon
• Axes : Nylon + fiberglass
• Body : Polypropylene copolymer

EKOCASE (X4)

PRODUCTS
• 4 fittings for K2 or K3

DIMENSIONS AND WEIGHT
• L572 x W425 x H144 mm
• 2,5 kg

MATERIALS
• Polypropylene

If you are a professional,
Scan this QR code to request a quote

PROcase (x8)

EKOcase (x4)

PROcase (x8)

Where to find our products

1 France
axente

2 Germany & Austria
KAISER
SHOW-TECHNIK
Begeistert sein

3 Italy
ZA LIGHT
SHARING INNOVATION

4 Holland
Distrixs
CREATIVE TECHNOLOGY

5 Switzerland
cast
Switzerland SA

6 Spain
eqc
extreme quality control

7 Portugal
LUZEIRO 40

8 Grece
ΒΑΣΙΛΕΙΟΥ
LIGHTING FOR EFFECT

9 Estonia
EVENTECH

INNLED

Revealing senses

360 avenue des compagnons
34170 Castelnau-le-lez
FRANCE

contact@innled.fr

www.innled.fr